Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20510	phillips.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:35
L2	10	l1 and (spacer adj2 (film or layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:36
L3	649734	(optical or laser or information) near5 (disc or disk or media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:37
L4	521784	(interlayer or ((intermediate or spacer or intermediate or adhesive) near2 (film or layer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:40
L5	22842	I3 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:39
L6	1005	I4 with ((UV or ultraviolet or optically) near2 (transparen\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:41
L7	246	13 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:41

L8	130	I7 and @ad<"20021022"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 15:42
L9	10	18 and ((phase adj2 change) or chalcogen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 15:42

Ref #	[,] Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S95 0	649355	(optical or laser or information) near5 (disc or disk or media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:04
S95 1	257490	("200" or "210" or "230" or "240" or "250" or "260" or "270" or "280" or "290" or "300" or "310" or "320" or "330" or "340" or "350" or "360" or "370" or "380" or "390" or "400") near4 (nm or nanometers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:06
S95 2	21866	S950 and S951	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:07
S95 3	536367	((protective or "light-transmitting" or "light-transmission" or intermediate or cover or (light adj2 transmi\$5)) near3 (film or layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:17
S95 4	80112	S953 same (\$6silic\$6 or \$6silo\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:14
S95 5	1915	S952 and S954	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:10
S95 6	4651	(dielectric or protective) with ("si. sub.3N.sub.4")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:11

S95	· 86	S955 and S956	US-PGPUB;	OR	OFF	2007/10/29 13:11
7	60	3333 and 3336	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB		5. .	2307, 23, 23
S95 8	12	S957 and ((heat adj2 (dissipat\$4 or radiat\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:15
S95 9	6960	S953 with (silicone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:23
S96 0	457	S950 and S959	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:15
S96 1	317	S960 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:15
S96 2	16	S961 and ((heat adj2 (dissipat\$4 or radiat\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:16
S96 3	2724	S953 same (silicone adj2 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:53

S96 4	· 273	S963 and S950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2007/10/29 13:55
S96 5	155	S964 and @ad<"20021002"	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 13:58
S96 6	81	S965 and (nm or nanometers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/29 14:02
S96 7	10	S965 and (("230" or "235" or "240" or "245" or "250" or "255" or "260" or "265" or "270") near3 (nm or nanometers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:06
S96 8	52	S965 and ((record\$5 or reproduc\$5) with (nm or nanometers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:12
S96 9	259510	("190" or "200" or "210" or "220" or "230" or "240" or "250" or "260" or "270" or "280" or "290" or "300" or "310" or "320" or "330" or "340" or "350" or "360" or "370" or "380" or "390" or "400") near3 (nm or nanometers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:21
S97 0	5284	S969 and (silicone adj2 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:14

S97 1	∙ 666	S970 and S950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:14
S97 2	234	S971 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:18
S97 3	0	EP-0731454-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:18
S97 4	2	EP-\731454-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:18
S97 5	2	EP-731454-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:20
S97 6	328439	sony.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:20
S97 7	1697	S969 and S976	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:20

S97 8	146523	("190" or "200" or "210" or "220" or "230" or "240" or "250" or "260" or "270") near4 (nm or nanometers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:22
S97 9	1000	S976 and S978	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:22
S98 0	213	S979 and S950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:22
S98 1	143	S980 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:28
S98 2	4	(record\$5 or reproduc\$5) with S976	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:28
S98 3	3977	(record\$5 or reproduc\$5) with S978	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:28
S98 4	94	S976 and S983	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 14:28

S98 5	. 63	S984 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:15
S98 6	11086	(dual or multi or multiple or two or three) near2 ((recording or reproducing or reproduction or data or information) near3 (film or layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:16
S98 7	7703	((protective or "light-transmitting" or "light-transmission" or intermediate or cover or (light adj2 transmi\$5) or middle or separation or separating or middle) near3 (film or layer)) with (silicone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:21
S98 8	82	S986 and S987	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:19
S98 9	1974	((protective or "light-transmitting" or "light-transmission" or intermediate or cover or (light adj2 transmi\$5) or middle or separation or separating or middle) near3 (film or layer)) with (silicone near2 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:22
S99 0	36	S986 and S989	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:31
S99 1	2	EP-731454-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:33

10/30/2007 4:09:58 PM C:\Documents and Settings\averderame\My Documents\EAST\Workspaces\default.wsp

Page 6

				,		
S99 . 2	15942	laser with (("190" or "200" or "210" or "220" or "230" or "240" or "250" or "260" or "270" or "280" or "290" or "300" or "310" or "320" or "330" or "340" or "350" or "360" or "370" or "380" or "390" or "400") near3 (nm or nanometers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:39
S99 3	4966	S992 and S950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:37
S99 4	6	S993 and S989	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:35
S99 5	1964	S992 with (record\$5 or reproduc\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:38
S99 6	1648	S995 and S950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:38
S99 7	5881	laser with (("190" or "200" or "210" or "220" or "230" or "240" or "250" or "260" or "270") near3 (nm or nanometers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:39
S99 8	281	S997 with (record\$5 or reproduc\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:40

S99 ·	`225	S998 and S950	US-PGPUB;	OR	OFF	2007/10/29 15:40
9	223	SSS and SSSS	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			350, 10, 20 10.10
S10 00	_. 102	S999 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:53
S10 01	1	S1000 and (silicone adj2 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 15:46
S10 02	1	S1000 and "20020060979"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 11:05
S10 03	649734	(optical or laser or information) near5 (disc or disk or media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 11:09
S10 04	75	S1003 and phillips.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 11:09
S10 05	31	S1004 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 11:37

S10 06	37	(PDMS or sylgard) with (UV-transparent or ((ultraviolet or UV) near2 (transparent)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/10/30 11:38
S10 07	18	S1006 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/30 14:35